



SUBMITTAL INFORMATION

SERIES 810 BRASS SADDLE WITH DOUBLE BRONZE STRAPS



FEATURES:
 MANUFACTURED IN COMPLIANCE WITH AWWA STANDARD C800.
 COMPLIES WITH ASTM B-62 & ASTM B-584
 PRESSURE RATED FOR 300 PSI

ORDERING INFORMATION:

OPEN SLOTTED END = ADD "O" TO END OF CATALOG NO.
 NOTE: ON ALL 14" NOMINAL & ABOVE, OPEN SLOT IS STANDARD AND "O" IS NOT REQUIRED

AWWA/CC TAPPING

NOM. PIPE SIZE	O.D. RANGE	AWWA OUTLET	CATALOG NUMBER	APPROX. WT. LBS.	SUBMITTED ITEM(S)
4"	4.50" TO 4.80"	3/4"	810-0480-A3		
		1"	810-0480-A4		
		1 1/2"	810-0480-A6		
		2"	810-0480-A7		
4"	4.80" TO 5.40"	3/4"	810-0540-A3		
		1"	810-0540-A4		
		1 1/2"	810-0540-A6		
		2"	810-0540-A7		
6"	6.62" TO 7.50"	3/4"	810-0750-A3		
		1"	810-0750-A4		
		1 1/2"	810-0750-A6		
		2"	810-0750-A7		
8"	8.62" TO 9.62"	3/4"	810-0962-A3		
		1"	810-0962-A4		
		1 1/2"	810-0962-A6		
		2"	810-0962-A7		
10"	10.75" TO 12.12"	3/4"	810-1212-A3		
		1"	810-1212-A4		
		1 1/2"	810-1212-A6		
		2"	810-1212-A7		
12"	12.75" TO 14.38"	3/4"	810-1438-A3		
		1"	810-1438-A4		
		1 1/2"	810-1438-A6		
		2"	810-1438-A7		

IRON PIPE TAPPING

NOM. PIPE SIZE	O.D. RANGE	FIP OUTLET	CATALOG NUMBER	APPROX. WT. LBS.	SUBMITTED ITEM(S)
4"	4.50" TO 4.80"	3/4"	810-0480-F3		
		1"	810-0480-F4		
		1 1/2"	810-0480-F6		
		2"	810-0480-F7		
4"	4.80" TO 5.40"	3/4"	810-0540-F3		
		1"	810-0540-F4		
		1 1/2"	810-0540-F6		
		2"	810-0540-F7		
6"	6.62" TO 7.50"	3/4"	810-0750-F3		
		1"	810-0750-F4		
		1 1/2"	810-0750-F6		
		2"	810-0750-F7		
8"	8.62" TO 9.62"	3/4"	810-0962-F3		
		1"	810-0962-F4		
		1 1/2"	810-0962-F6		
		2"	810-0962-F7		
10"	10.75" TO 12.12"	3/4"	810-1212-F3		
		1"	810-1212-F4		
		1 1/2"	810-1212-F6		
		2"	810-1212-F7		
12"	12.75" TO 14.38"	3/4"	810-1438-F3		
		1"	810-1438-F4		
		1 1/2"	810-1438-F6		
		2"	810-1438-F7		

Cambridge Brass considers the information in this submittal form to be correct at the time of publication. Item and option availability, including specifications, are subject to change without notice.




Cambridge Brass
 P.O. Box 249, 140 Orion Place
 Cambridge, Ontario
 Canada N1R 5V1
 Tel: (519) 621-5520
 Fax: (519) 621-8674
<http://www.cambridgebrass.com>



SUBMITTED BY:

SUBMITTAL INFORMATION

SERIES 810 BRASS SADDLE WITH DOUBLE BRONZE STRAPS



FEATURES:
 MANUFACTURED IN COMPLIANCE WITH AWWA STANDARD C800.
 COMPLIES WITH ASTM B-62 & ASTM B-584, UNS NO C83600-85-5-5-5
 PRESSURE RATED FOR 300 PSI

ORDERING INFORMATION:

OPEN SLOTTED END = ADD "0" TO END OF CATALOG NO.
 NOTE: ON ALL 14" NOMINAL & ABOVE, OPEN SLOT IS STANDARD AND "0" IS NOT REQUIRED
 AWWA/CC TAPPING IRON PIPE TAPPING

NOM. PIPE SIZE	O.D. RANGE	AWWA OUTLET	CATALOG NUMBER	APPROX. WT. LBS.	SUBMITTED ITEM(S)
20"	22.50" TO 23.50"	3/4"	810-2350-A3		
		1"	810-2350-A4		
		1 1/2"	810-2350-A6		
		2"	810-2350-A7		
24"	23.80" TO 24.80"	3/4"	810-2480-A3		
		1"	810-2480-A4		
		1 1/2"	810-2480-A6		
		2"	810-2480-A7		
24"	25.60" TO 26.50"	3/4"	810-2650-A3		
		1"	810-2650-A4		
		1 1/2"	810-2650-A6		
		2"	810-2650-A7		
30"	31.74" TO 32.74"	3/4"	810-3274-A3		
		1"	810-3274-A4		
		1 1/2"	810-3274-A6		
		2"	810-3274-A7		

NOM. PIPE SIZE	O.D. RANGE	FIP OUTLET	CATALOG NUMBER	APPROX. WT. LBS.	SUBMITTED ITEM(S)
20"	22.50" TO 23.50"	3/4"	810-2350-F3		
		1"	810-2350-F4		
		1 1/2"	810-2350-F6		
		2"	810-2350-F7		
24"	23.80" TO 24.80"	3/4"	810-2480-F3		
		1"	810-2480-F4		
		1 1/2"	810-2480-F6		
		2"	810-2480-F7		
24"	25.60" TO 26.50"	3/4"	810-2650-F3		
		1"	810-2650-F4		
		1 1/2"	810-2650-F6		
		2"	810-2650-F7		
30"	31.74" TO 32.74"	3/4"	810-3274-F3		
		1"	810-3274-F4		
		1 1/2"	810-3274-F6		
		2"	810-3274-F7		

Cambridge Brass considers the information in this submittal form to be correct at the time of publication. Item and option availability, including specifications, are subject to change without notice.

Cambridge Brass
 P.O. Box 249, 140 Orion Place
 Cambridge, Ontario
 Canada N1R 5V1
 Tel: (519) 621-5520
 Fax: (519) 621-8674
<http://www.cambridgebrass.com>



#S810 REV. E, 5-MAR'19 MDR

SUBMITTED BY: